

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: PENETRON ADMIX® UFI: JN40-K0KV-M00U-JE9T

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Crystalline waterproofing admixture

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

PENETRON HELLAS S.A. G.E.MH. No: 07278001000

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803 Email: info@penetron.gr Site: www.penetron.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:





GHS05 GHS07

Signal word: Danger

Hazard-determining components of labelling:

Cement, portland, chemicals

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

Calcium magnesium tetrahydroxide

calcium dihydroxide

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Calcium magnesium dihydroxide oxide

Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Information concerning particular hazards for human and environment:

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns May cause damage to products made of aluminium or other non-noble metals.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:		
	Cement, portland, chemicals Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	65-80%
CAS: 39445-23-3	Calcium magnesium tetrahydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	1.5-6%
CAS: 58398-71-3 EINECS: 261-235-4	Calcium magnesium dihydroxide oxide	1.5-6%
CAS: 1305-62-0 EINECS: 215-137-3	calcium dihydroxide	1-2%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

(Contd. on page 3)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

(Contd. of page 2)

Seek immediate medical advice.

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eve contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

May cause stomach distress, nausea or vomiting. May cause burns in the presence of moisture.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Sand or earth

5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3 Advice for firefighters

Protective equipment:

During fire-fighting wear suitable respiratory device (SCBA) with a full face-piece operated in positive pressure mode.

Cool closed containers exposed to fire by spraying water.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid contact with skin and eyes.

Avoid inhalation of dust.

Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

(Contd. on page 4)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

(Contd. of page 3)

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Thorough dedusting.

Prevent formation of dust.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Ensure good ventilation.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

To be stored only in the initial container.

Information about storage in one common storage facility: Store away from strong acids.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 65997-15-1 Cement, portland, chemicals

WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

CAS: 1305-62-0 calcium dihydroxide

WEL (Great Britain) Short-term value: 4* mg/m³

Long-term value: 5 1* mg/m³

*resprable fraction

IOELV (EU) Short-term value: 4 mg/m³

Long-term value: 1 mg/m³

Respirable fraction

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Avoid contact with skin and eyes.

Do not eat, drink or smoke while using the product.

Avoid inhalation of dust.

Take off contaminated clothing and wash before reuse.

Respiratory protection:



A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2)

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

Gloves from PVC.

Rubber gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Solid **Colour:** Grey Odourless **Odour: Odour threshold:** Not determined

Boiling point or initial boiling point and boiling

Not determined range Not determined **Flammability**

(Contd. on page 6)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

(Contd. of page 5)

Lower and upper explosion limit

Lower: Not determined Upper: Not determined Flash point: Not applicable

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined **pH at 20 °C** 10-13 (solution)

Viscosity:

Kinematic viscosity Not applicable

Kinematic viscosity

Dynamic: Not applicable

Solubility

water:NegligiblePartition coefficient n-octanol/water (log value)Not determinedVapour pressure:Not applicable

Density and/or relative density

Density:Not determinedRelative densityNot determinedVapour densityNot applicableParticle characteristicsSee item 3.

9.2 Other information

Corrosive to metals

Appearance:

Form: Powder

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Void

Cloud point / clarification point:

Oxidising properties Not considered as oxidising.

Evaporation rate Not applicable

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Aerosols Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void **Self-reactive substances and mixtures** Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void

(Contd. on page 7)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

Desensitised explosives Void

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions Reacts with water to form alkaline solution.

10.4 Conditions to avoid

Avoid excessive heat for prolonged periods of time.

Protect for low temperatures.

Water

10.5 Incompatible materials Strong Acids

10.6 Hazardous decomposition products

Carbon monoxide

Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 1305-62-0 calcium dihydroxide

Oral LD50 >2,000 mg/kg (rat) (Acute Oral Toxicity: Up-and-Down Procedure)

Dermal LD50 >2,500 mg/kg (rabbit) (Acute Dermal Toxicity)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

The product is classified as Specific Target Organ Toxicity after single exposure Category 3 May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 1305-62-0 calcium dihydroxide

EC50 (72h) (static) 184.57 mg/l (algae) (Freshwater Alga and Cyanobacteria, Grow Inhibition)

(Contd. on page 8)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

(Contd. of page 7) EC50 (48h) (static) 49.4 mg/l (daphnia magna) (Daphnia sp. Acute Immobilisation Test)

LC50 (96h)

50.6 mg/l (Oncorhynchus mykiss) (Fish, Acute Toxicity Test)

457 mg/l (fis)

48 mg/l (algae) NOEC r (72h)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number Void 14.2 UN proper shipping name Void 14.3 Transport hazard class(es) Void 14.4 Packing group Void

IATA

14.5 Environmental hazards: Not applicable. Not applicable. 14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product contains less than 2 ppm (0,0002 w/w) Cr (VI) according to Annex XVII of REACH Regulation.

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS:



SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemyriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Date of previous version: 16.12.2020 **Version number of previous version:** 5

Abbreviations and acronyms:

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

Printing date 15.06.2021 Version number 6 (replaces version 5) Revision: 15.06.2021

Trade name: PENETRON ADMIX®

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

(Contd. of page 9)

GB