

\*

\*

\*

# Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: PENEBAR® SW-55

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

Application of the substance / the mixture: Concrete water expanding flexible joint waterstop strip

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
PENETRON HELLAS S.A. G.E.MH. No: 07278001000
50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE
TEL.: +30 210 2448250 - FAX: + 30 210 2476803
Email: info@penetron.gr Site: www.penetron.gr
1.4 Emergency telephone number:



European Emergency Tel.: 112

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

**Classification according to Regulation EC No 1272/2008 CLP:** This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

# 2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: Void Hazard pictograms: Void

Signal word: Void

Hazard statements: Void

# **Precautionary statements**

P102 Keep out of reach of children.

2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients 3.2 Mixtures Description: Mixture: consisting of the following components. Ingredients according Regulation (EU) 2020/878: CAS: 64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic, (Nota L, <br/><3% dimethyl sulfoxide)</td> EINECS: 265-169-7 Distillates (petroleum), solvent-dewaxed heavy paraffinic, (Nota L, <br/><3% dimethyl sulfoxide)</td> (Contd. on page 2)

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

Trade name: PENEBAR® SW-55

		(Contd. of page 1)
CAS: 14808-60-7	quartz	1-5%
EINECS: 238-878-4	substance with a Community workplace exposure limit	
CAS: 1333-86-4	Carbon black	0.1-1%
EINECS: 215-609-9	substance with a Community workplace exposure limit	

### **Additional information:**

Quartz (SiO2): Contains less than 1% of respirable quartz (ø <50 mm)

It is not necessary to classify it as carcinogenic, because the content of the substance Distillates (petroleum), heavy solvent-depleted paraffin (CAS 64742-65-0) in DMSO extract, is less than 3%.

For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General information:

Take affected persons out into the fresh air.

In all cases call a doctor

#### After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician. In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact:

Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses and continue rinsing for several minutes

If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing agents: Fire-extinguishing powder Carbon dioxide Foam Sand Water haze 5.2 Special hazards arising from the substance or mixture Carbon dioxide (CO2) Carbon monoxide (CO)

(Contd. on page 3)

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

Trade name: PENEBAR® SW-55

(Contd. of page 2)

# **5.3 Advice for firefighters**

# **Protective equipment:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Cool closed containers exposed to fire by spraying water.

# Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures:

Goggles and/ or face shield, if contact with eyes or splashes are anticipated.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

#### **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Do not breathe dust. Do not ingest.

Avoid contact with the eyes and skin

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store in original container.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Keep away from children

7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

\*

Ingredients with limit values	that require monitor	ing at the workplace.
ingiculents with mint values	mai require moment	ing at the workplace.

CAS: 14808-60-7 quartz

BOELV (EU) Long-term value: 0.1\* mg/m<sup>3</sup> \*respirable fraction

### CAS: 1333-86-4 Carbon black

WEL (Great Britain) Short-term value: 7 mg/m<sup>3</sup> Long-term value: 3.5 mg/m<sup>3</sup>

(Contd. on page 4)

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

Trade name: PENEBAR® SW-55

(Contd. of page 3)

# 8.2 Exposure controls

**8.2.1. Appropriate engineering controls** Use of local ventilation is advised. **Appropriate engineering controls** No further data; see item 7.

#### Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Do not eat, drink or smoke while using the product.

Be sure to clean skin thoroughly after work and before breaks.

Respiratory protection: Not required under normal conditions of use.

### Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

Rubber gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

# Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eve/face protection** 



If splashing might occur use safety glasses in compliance with EN ISO 166

# **Body protection:**



Protective work clothing

# SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical pr
General Information
Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Boiling point or initial boiling point and boiling
range
Flammability

Solid Black slight petroleum odor Not determined Not determined

Not determined Not determined

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

Trade name: PENEBAR® SW-55

Void
Void
Void
Void
Void
Void
ses
Not applicable
Not considered as oxidising.
Product does not present an explosion hazard.
Not determined
nd
Solid
~
See nem 5.
See item 3.
Not applicable
1.5 g/cm <sup>3</sup>
not approable
Not applicable
Not determined
Insoluble
The upplication
Not applicable
The approache
Not applicable
Not applicable
Not determined
Product is not selfigniting.
Not determined
Not determined Not determined
Not determined

EU 2020/878 and Regulation No 1272/2008/EC (CLP)		
Printing date 14.06.2021	Version number 7 (replaces version 6)	Revision: 14.06.2021
Trade name: PENEBAR® SW	7-55	
Desensitised explosives	Void	(Contd. of page 5
SECTION 10: Stability an	nd reactivity	
	relevant information available.	
10.2 Chemical stability		
Thermal decomposition / o		
	nd stored according to specifications.	
Stable at environment tempe	erature. Sus reactions No dangerous reactions known.	
	Avoid heat, flames, sparks, other sources of ignition.	
	als No further relevant information available.	
10.6 Hazardous decompos	ition products	
Carbon monoxide		
Carbon dioxide		
SECTION 11: Toxicologic	cal information	
	d classes as defined in Regulation (EC) No 1272/2008	8
-	ailable data, the classification criteria are not met.	
LD/LC50 values relevant f		
CAS: 1333-86-4 Carbon b	lack	
Oral LD50 10,000 mg/kg (	(rat)	
	Based on available data, the classification criteria are no	
• 0	tion Based on available data, the classification criteria a	
	isation Based on available data, the classification criteri	
<b>e</b> •	ased on available data, the classification criteria are not	met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met. **STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Additional toxicological information:

**Repeated dose toxicity** Based on available data, the classification criteria are not met. **11.2 Information on other hazards** 

**Endocrine disrupting properties** 

None of the ingredients is listed.

# SECTION 12: Ecological information

# 12.1 Toxicity

\*

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

(Contd. on page 7)

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

Trade name: PENEBAR® SW-55

(Contd. of page 6)

12.7 Other adverse effectsAdditional ecological information:General notes:Not hazardous for water.Not known to be hazardous to water.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.

Contact manufacturer for recycling information.

**Uncleaned packaging: Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO	
instruments	Not applicable.

UN "Model Regulation":

# SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

\*

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Void

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended Note L applies. DMSO content is below 3%.

GB

# Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.06.2021

Version number 7 (replaces version 6)

Revision: 14.06.2021

#### **Trade name: PENEBAR® SW-55**

(Contd. of page 7) The product contains less than 1% respirable quartz ( $\phi < 50$  microns) and therefore it is not subject to be classified as harmful to health.

#### National regulations:

#### Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Department issuing SDS:**

**SUST**<sup>⊕</sup> SUSTCHEM S.A.

3031	
	REACH & Chemical Services Department
CONSULTING	A: 144, 3rd Septemvriou, GR 112 51   Athens, Greece
	T: +30 210 8252510   F: +30 210 8252575
	W: www.sustchem.gr   E: info@suschem.gr
Version	number of previous version: 6
Abbrevia	ations and acronyms:
ADR: Acco	ord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
Internation	al Carriage of Dangerous Goods by Road)
IMDG: Inte	ernational Maritime Code for Dangerous Goods
IATA: Inte	rnational Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: E	Curopean List of Notified Chemical Substances
CAS: Chen	nical Abstracts Service (division of the American Chemical Society)
LC50: Leth	al concentration, 50 percent
LD50: Leth	al dose, 50 percent
PBT: Persis	stent, Bioaccumulative and Toxic
SVHC: Sub	ostances of Very High Concern
vPvB: very Persistent and very Bioaccumulative	
* Data compared to the previous version altered.	