

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: PENETRON® GROUT INJECT

UFI: MX50-50XU-7008-GJ1S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable-Mixture of substances

Application of the substance / the mixture: Cementitious reparing injection grout.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

PENETRON HELLAS S.A. G.E.MH. No: 07278001000

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803 Email: info@penetron.gr Site: www.penetron.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:





GHS05 GHS07

Signal word: Danger

(Contd. on page 2)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

(Contd. of page 1)

Hazard-determining components of labelling:

Cement, portland, chemicals

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P102 Keep out of reach of children. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

In and 1 and 2 and 1 and 2 and 4 and (EU) 2020/970.		
Ingredients according Regulation (EU) 2020/878:		
CAS: 14808-60-7	quartz	40-80%
EINECS: 238-878-4	substance with a Community workplace exposure limit	
CAS: 65997-15-1	Cement, portland, chemicals	25-55%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	
CAS: 69012-64-2 EINECS: 273-761-1	Silica-Amorphous Silica fume	0.1-10%

Additional information: Quartz (SiO2): Contains less than 1% of respirable quartz (\$\phi < 50\$ mm)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

(Contd. on page 3)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

(Contd. of page 2)

In case of respiratory irritation or fainting, seek immediate medical attention.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In case of skin irritation, consult a physician.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

If symptoms persist, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, dry chemical powder, foam, sand

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool closed containers exposed to fire by spraying water.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Avoid formation of dust.

Avoid contact with skin and eyes.

Avoid inhalation of dust.

Goggles and/ or face shield, if contact with eyes or splashes are anticipated.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

Avoid dust inhalation.

Prevent formation of dust.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 14808-60-7 quartz

BOELV (EU) Long-term value: 0.1* mg/m³

*respirable fraction

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while using the product.

Wash hands before breaks and at the end of work.

Take off contaminated clothing and wash before reuse.

Avoid inhalation of dust.

Respiratory protection:



In case of insufficient ventilation, use face mask with breathing filter, type: P2 CEN: EN 140; EN 143; EN 149

(Contd. on page 5)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

Hand protection





Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Solid
Colour: Grey
White
Odour: typical

Odour threshold: Not determined Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling

rangeNot determinedFlammabilityNot applicable

Lower and upper explosion limit

Lower: Not determined Upper: Not determined Flash point: Not determined

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined

pH 9

Viscosity:

Kinematic viscosity Not determined

(Contd. on page 6)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

(Contd. of page 5)

Kinematic viscosity

Dynamic: Not determined

Solubility

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure:
Not determined
Not determined

Density and/or relative density

Density:Not determinedRelative density at 20 °C1.6±0.5 Kg/litVapour densityNot determinedParticle characteristicsSee item 3.

9.2 Other information

Appearance:

Form: Dust

Important information on protection of health and

 $environment, and \ on \ safety.$

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Cloud point / clarification point:

Oxidising properties Not considered as oxidising.

Evaporation rate Not determined

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Aerosols Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void **Self-reactive substances and mixtures** Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable Void Void

gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** Avoid exposure without appropriate protective work clothing and dust masks.
- 10.5 Incompatible materials No further relevant information available.

(Contd. on page 7)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

(Contd. of page 6)

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Potentially irritant

Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

The product is classified as Specific Target Organ Toxicity after single exposure Category 3

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

GB -

(Contd. on page 8)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR. IMDG. IATA Void

14.5 Environmental hazards: Not applicable.14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

$\textbf{15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture} \\ REACH Regulation 1907/2006/EC$

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

The product contains less than 2 ppm (0,0002 w/w) Cr (VI) according to Annex XVII of REACH Regulation.

The product contains less than 1% respirable quartz ($\emptyset < 50$ microns) and therefore it is not subject to be classified as harmful to health.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

(Contd. on page 9)

Printing date 22.06.2021 Version number 4 (replaces version 3) Revision: 22.06.2021

Trade name: PENETRON® GROUT INJECT

(Contd. of page 8)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS:



SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemyriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.