

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier**Trade name:** PENETRON® WATERPLUG RAPID**UFI:** TF60-7037-2007-FKJ5**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Rapid set underwater repair and anchoring compound**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

PENETRON HELLAS S.A.

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803

Email: info@penetron.gr Site: www.penetron.gr

1.4 Emergency telephone number:

European Emergency Tel.: 112

* **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture**Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS05 GHS07

Signal word: Danger**Hazard-determining components of labelling:**

Cement, portland, chemicals

(Contd. on page 2)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 1)

calcium dihydroxide

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.* **SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Ingredients according Regulation (EU) 2020/878:**

| | | |
|--------------------------------------|--|---------|
| CAS: 14808-60-7 EINECS: 238-878-4 | quartz | 28-53% |
| CAS: 65997-15-1 EINECS: 266-043-4 | Cement, portland, chemicals ☠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335 | 20-<28% |
| CAS: 65997-16-2 EINECS: 266-045-5 | Calcium aluminate cement ⚠ Eye Irrit. 2, H319 | 25-<40% |
| CAS: 1305-62-0 EINECS: 215-137-3 | calcium dihydroxide ☠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335 | 1-<4% |
| CAS: 24937-78-8 | Ethyl vinyl acetate copolymer | 0-<1% |

Additional information: Quartz (SiO₂): Contains less than 1% of respirable quartz (ø <50 mm)**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 2)

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.
 In case of unconsciousness place patient stably in side position for transportation.
 Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
 Check for and remove any contact lenses.
 Continue to rinse for at least 10 minutes.
 Get medical attention if irritation occurs.
 Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.
 Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters**Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.
 Cool closed containers exposed to fire by spraying water.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.
 Mixed with water the product will produce an alkaline solution, which can cause skin irritation.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Prevent the formation of dust
 Avoid inhalation of dust.
 Avoid contact with skin and eyes.
 Ensure adequate ventilation.
 Information on protection measures, see Sections 7 and 8.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Prevent product from entering sewers, rivers or other bodies of water. Note: solidified product may clog drains and sewers.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.
 Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 3)

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Handle with care. Avoid jolting, friction and impact.

Ensure good ventilation/exhaustion at the workplace.

Avoid dust inhalation.

Prevent formation of dust.

Avoid contact with skin and eyes.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

7.2 Conditions for safe storage, including any incompatibilities**Storage:** Store in cool, dry conditions in well sealed receptacles.**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Protect from direct sunlight.

Keep away from children

7.3 Specific end use(s) No further relevant information available.

*

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 65997-15-1 Cement Portland**WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls****8.2.1. Appropriate engineering controls** Provide adequate ventilation.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while using the product.

Wash hands before breaks and at the end of work.

Avoid inhalation of dust.

Take off contaminated clothing and wash before reuse.

Respiratory protection:

In case of insufficient ventilation, use face mask with breathing filter, type: P2

CEN : EN 140; EN 143; EN 149

(Contd. on page 5)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 4)

Hand protection

Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information**

| | |
|---|-------------------------------|
| Physical state | Powder |
| Colour: | Grey |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| Melting point/freezing point: | Not determined |
| Boiling point or initial boiling point and boiling range | Not determined |
| Flammability | Not determined |
| Lower and upper explosion limit | |
| Lower: | Not determined |
| Upper: | Not determined |
| Flash point: | Not Flammable |
| Auto-ignition temperature: | Product is not selfigniting. |
| Decomposition temperature: | Not determined |
| pH | 10-12 (10% solution in water) |
| Viscosity: | |
| Kinematic viscosity | Not applicable |
| Kinematic viscosity | |
| Dynamic: | Not applicable |

(Contd. on page 6)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 5)

Solubility

| | |
|--|----------------|
| water: | Insoluble |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure: | Not applicable |
| Density and/or relative density | |
| Density: | Not determined |
| Relative density | Not determined |
| Vapour density | Not applicable |
| Particle characteristics | See item 3. |

9.2 Other information**Appearance:**

Form: Solid

Important information on protection of health and environment, and on safety.

| | |
|---|---|
| Auto-ignition temperature: | Not determined |
| Explosive properties: | Product does not present an explosion hazard. |
| Cloud point / clarification point: | |
| Oxidising properties | Not oxidising |
| Evaporation rate | Not applicable |

Information with regard to physical hazard classes

| | |
|--|------|
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Avoid heat, flames, sparks, other sources of ignition.

10.5 Incompatible materials No further relevant information available.

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 6)

10.6 Hazardous decomposition products No dangerous decomposition products known.

*

SECTION 11: Toxicological information
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
CAS: 1305-62-0 calcium dihydroxide

| | | |
|--------|------|---|
| Oral | LD50 | >2,000 mg/kg (rat) (Acute Oral Toxicity: Up-and-Down Procedure) |
| Dermal | LD50 | >2,500 mg/kg (rabbit) (Acute Dermal Toxicity) |

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

The product is classified as Specific Target Organ Toxicity after single exposure Category 3
May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:
Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

None of the ingredients is listed.

*

SECTION 12: Ecological information
12.1 Toxicity
Aquatic toxicity:
CAS: 1305-62-0 calcium dihydroxide

| | |
|---------------------|--|
| EC50 (72h) (static) | 184.57 mg/l (algae) (Freshwater Alga and Cyanobacteria, Grow Inhibition) |
| EC50 (48h) (static) | 49.4 mg/l (daphnia magna) (Daphnia sp. Acute Immobilisation Test) |
| LC50 (96h) | 158 mg/l |
| | 50.6 mg/l (Oncorhynchus mykiss) (Fish, Acute Toxicity Test) |
| | 457 mg/l (fis) |
| NOEC r (72h) | 48 mg/l (algae) |

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 7)


12.7 Other adverse effects**Additional ecological information:**

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": UN-, -

*

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

The product contains less than 2 ppm (0,0002 w/w) Cr (VI) according to Annex XVII of REACH Regulation.

The product contains less than 1% respirable quartz (ø <50 microns) and therefore it is not subject to be classified as harmful to health.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

(Contd. on page 9)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 12.11.2021

Version number 5 (replaces version 4)

Revision: 12.11.2021

Trade name: PENETRON® WATERPLUG RAPID

(Contd. of page 8)

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended
REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Department issuing SDS:



SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**