

*

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: QUARTZ SAND INDUSTRIAL CAS Number: 14808-60-7 EINECS Number: 238-878-4 Registration number: The product is exempted from REACH Regulation 1907/2006/EC.

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture:

Basic Uses (incomplete list): Glass, production silicates, abrasives, foundry sand, fillers, coatings, adhesives and mortars, filtration, sports and recreation constructions, special constructions, additives in animal feed production, etc.

Uses advised against: blasting material containing more than 1% silica may be permitted if used outdoors outdoors or in hermetically sealed areas where they have taken additional security measures for the protection of workers. Special permission may be required by the competent authority.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: PENETRON HELLAS S.A. 50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE TEL.: +30 210 2448250 - FAX: + 30 210 2476803 Email: info@penetron.gr Site: www.penetron.gr 1.4 Emergency telephone number:



*

European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP: The substance is not classified, according to the CLP regulation.

2.2 Label elements Labelling according to Regulation EC No 1272/2008 CLP: Void Hazard pictograms: Void

Signal word: Void

Hazard statements: Void

Precautionary statements
P102 Keep out of reach of children.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. on page 2)

GB

(Contd. of page 1)

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

*

SECTION 3: Composition/information on ingredients

3.1 Substances
CAS No. Description
14808-60-7 Quartz (SiO2)
Identification number(s) EC number: 238-878-4
Additional information:
This product contains less than 1% respirable quartz and therefore are not classified as harmful to health.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

No special measures required.

Take affected persons out into the fresh air.

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician. In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Wash the skin immediately with soap and water.

In case of skin irritation, consult a physician.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 15 minutes.

Get medical attention if irritation occurs.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

During fire-fighting wear suitable respiratory device (SCBA) with a full face-piece operated in positive pressure mode.

Cool closed containers exposed to fire by spraying water.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Avoid inhalation of dust.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Information on protection measures, see Sections 7 and 8.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A. **6.2 Environmental precautions:** No special measures required.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Do not breathe dust. Do not ingest.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

*

Ingredients with limit values that require monitoring at the workplace:

Follow regulatory exposure limits in the workplace for all types of airborne dust (eg total dust, respirable dust, respirable crystalline silica dust). OELs (Occupational Exposure Limits) for inhaled crystalline silica dust is 0,1 mg / m3 for EEC countries, measured at 8 hours TWA (time weighted average). For the equivalent limits in other countries, please consult a qualified technician Security or the local regulatory authority. **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

GB

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

(Contd. of page 3)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Avoid contact with skin and eyes.

Avoid inhalation of dust.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eye/face protection**



For processing and packaging use safety goggles

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical propertiesGeneral InformationPhysical stateSolidColour:Off-White

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

| | (Contd. of page 4) |
|--|---|
| Odour: | Odourless |
| Odour threshold: | Not determined |
| Melting point/freezing point: | >1610 °C |
| Boiling point or initial boiling point and boiling | |
| range | Not determined |
| Flammability | Not applicable |
| Lower and upper explosion limit | 11 |
| Lower: | Not determined |
| Upper: | Not determined |
| Flash point: | Not applicable |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined |
| pH | 5-8 |
| Viscosity: | |
| Kinematic viscosity | Not determined |
| Kinematic viscosity | |
| Dynamic: | Not determined |
| Solubility | |
| water: | Not miscible |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure: | Not determined |
| Density and/or relative density | |
| Density: | Not determined |
| Relative density at 20 °C | $2-3 \text{ g/cm}^3$ |
| Vapour density | Not determined |
| | |
| 9.2 Other information | |
| Appearance: | |
| Form: | solid angular |
| Important information on protection of health an | ld |
| environment, and on safety. | |
| Auto-ignition temperature: | Not determined |
| Explosive properties: | Product does not present an explosion hazard. |
| Solvent content: | |
| VOC (EC) | 0.00~% |
| Cloud point / clarification point: | |
| Oxidising properties | Not considered as oxidising. |
| Evaporation rate | Not determined |
| Information with regard to physical hazard class | es |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| v r | (Contd. on page 6) |
| | |

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

| Self-heating substances and mixtures Substances and mixtures, which emit flammabl | Void e | (Contd. of page 5) |
|--|-----------|--------------------|
| gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- GB -

(Contd. of page 6)

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

12.7 Other adverse effects Additional ecological information: General notes: Not known to be hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | | |
|--|-----------------|--|
| 14.1 UN number or ID number | | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name | | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | Not applicable. | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according to IMO | | |
| instruments | Not applicable. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

*

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

(Contd. of page 7)

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 05.07.2021

Version number 5 (replaces version 4)

Revision: 05.07.2021

Trade name: QUARTZ SAND INDUSTRIAL

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

The substance is not SVHC.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Recommended restriction of use

Prolonged and / or massive exposure to dust containing respirable crystalline silica can cause silicosis, a nodular pulmonary fibrosis caused by pulmonary deposition of very small particles of respirable crystalline silica.

In June 2003, the SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of crystalline silica dust is silicosis. "There is sufficient information to conclude that relative is increased the relative risk of causing lung cancer in persons with silicosis (and apparently, not in employees who do not suffer from silicosis who are exposed to silica dust in quarries and in the ceramic industry). Therefore preventing silicosis and decreases the risk of cancer"(SCOEL SUM Doc 94-final, June 2003).

The agreement, following social dialogue of all stakeholders on the protection of workers through the proper management and use of crystalline silica and products containing it was signed on 25 April 2006. This autonomous agreement, the European Commission received financial support from the European Commission, based on a Good Practice Guide. The requirements of the Agreement shall apply from 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006 / C 279/02). The text of the Agreement, its Annexes, including the Good Practice Guide, available at http://www.nepsi.eu and provide useful information and guidance for the handling of respirable crystalline silica containing products. The bibliography is available on request in EUROSIL, (European Association of Industrial Production of Crystalline Silicon.

Department issuing SDS:

SUST[⊕] SUSTCHEM S.A.

CONSULTING REACH & Chemical Services Department A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative **Sources** SDS of the supplier *** Data compared to the previous version altered.**