

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: PENETRON® SEALCOATTM

UFI: 1V00-A07E-5002-FDNY

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Cement base polymer modified waterproofing coating.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

PENETRON HELLAS S.A. G.E.MH. No: 07278001000

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803 Email: info@penetron.gr Site: www.penetron.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:





GHS05 GHS07

Signal word: Danger

(Contd. on page 2)

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

(Contd. of page 1)

Hazard-determining components of labelling:

Cement, portland, chemicals

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

-			
Ingredients according Regulation (EU) 2020/878:			
CAS: 14808-60-7	quartz	40-60%	
EINECS: 238-878-4	substance with a Community workplace exposure limit		
CAS: 65997-15-1	Cement, portland, chemicals	50-70%	
EINECS: 266-043-4	📀 Eye Dam. 1, H318; 🕩 Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE		
	3, H335		

Additional information: Quartz (SiO2): Contains less than 1% of respirable quartz (Ø <50 mm)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of respiratory irritation or fainting, seek immediate medical attention.

(Contd. on page 3)

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

(Contd. of page 2)

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician. Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In case of skin irritation, consult a physician.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Skin: Product becomes alkaline when combined with water. Wet cement product may dry to exposed skin causing

irritation and skin burns.

Eyes: May cause irritation and inflammation of the cornea.

Inhalation: May cause shortness of breath, chest pain, decreased pulmonary functions, and coughing.

Ingestion: May cause indigestion, irritation, and gastrointestinal blockage (product will solidify).

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool closed containers exposed to fire by spraying water.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Avoid contact with skin and eyes.

Wear protective equipment. Keep unprotected persons away.

Avoid inhalation of dust.

Prevent the formation of dust

Information on protection measures, see Sections 7 and 8.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

Dispose contaminated material as waste according to item 13.

Dispose containinated material as waste according to item i

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Avoid dust inhalation.

Prevent formation of dust.

Ensure good ventilation.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required. **Further information about storage conditions:** Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 14808-60-7 quartz

BOELV (EU) Long-term value: 0.1* mg/m³

*respirable fraction

CAS: 65997-15-1 Cement, portland, chemicals

WEL (Great Britain) Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Take off contaminated clothing and wash before reuse.

Avoid inhalation of dust.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while using the product.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

Respiratory protection:

(Contd. of page 4)



In case of insufficient ventilation, use face mask with breathing filter, type: P2 CEN: EN 140; EN 143; EN 149

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateSolidColour:GreyOdour:cement odorOdour threshold:Not determinedMelting point/freezing point:Not determined

Boiling point or initial boiling point and boiling

range Not determined Flammability Not determined

Lower and upper explosion limit

Lower:Not determinedUpper:Not determinedFlash point:Not applicable

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined

(Contd. on page 6)

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

(Contd. of page 5) Not applicable

pН

Viscosity:

Kinematic viscosity Not applicable

Kinematic viscosity

Dynamic: Not applicable

Solubility

Insoluble water:

Partition coefficient n-octanol/water (log value) Not determined Not applicable Vapour pressure:

Density and/or relative density

Not determined **Density:** Not determined Relative density Vapour density Not applicable **Particle characteristics** See item 3.

9.2 Other information

Appearance:

Form: Powder

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Solvent content:

0.00 % VOC (EC)

Cloud point / clarification point:

Oxidising properties Not considered as oxidising.

Evaporation rate Not applicable

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void **Self-reactive substances and mixtures** Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable Void Void

gases in contact with water **Oxidising liquids Oxidising solids** Void **Organic peroxides** Void **Corrosive to metals** Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

(Contd. of page 6)

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5** Incompatible materials No further relevant information available.
- **10.6 Hazardous decomposition products** No further relevant information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes skin irritation.

Serious eve damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

The product is classified as Specific Target Organ Toxicity after single exposure Category 3

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

GB

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR. IMDG. IATA Void

14.5 Environmental hazards: Not applicable.14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product contains less than 2 ppm ($0{,}0002$ w/w) Cr (VI) according to Annex XVII of REACH Regulation.

The product contains less than 1% respirable quartz ($\emptyset \le 50$ microns) and therefore it is not subject to be classified as harmful to health.

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

(Contd. on page 9)

Printing date 25.06.2021 Version number 5 (replaces version 4) Revision: 25.06.2021

Trade name: PENETRON® SEALCOATTM

(Contd. of page 8)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS:



SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.